
Based on Hospital Process of Care Measures – Surgical Care Improvement Project

Provider Number	Hospital Name	Address 1
050625	CEDARS-SINAI MEDICAL CENTER	8700 BEVERLY BLVD

Page 1 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project



Page 2 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project

ZIP Code	County Name	Phone Number
00049	LOS ANGELES	2104225000

90048 LOS ANGELES 3104235000

Page 3 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project

Percent of Surgery Patients given an antibiotic at the right time (within one hour before surgery) to help prevent infection

99%

Page 4 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project



2335

Page 5 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project

Percent of Surgery Patients whose preventive antibiotics were stopped at the right time (within 24 hours after surgery)

96%

Page 6 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project



2230

Page 7 of 19 12/17/2012


Based on Hospital Process of Care Measures – Surgical Care Improvement Project

Percent of Surgery Patients who were given the right kind of antibiotic to help prevent infection

99%

Page 8 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project



2357

Page 9 of 19 12/17/2012


Based on Hospital Process of Care Measures – Surgical Care Improvement Project

Percent of Surgery Patients who got treatment at right time (within 24 hours before or after surgery) to help prevent blood clot

98%

Page 10 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project



3517

Page 11 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project

Percent of Surgery Patients whose doctors ordered treatments to prevent blood clots after certain types of surgeries

99%

Page 12 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project



3518

Page 13 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project

Percent of all Heart Surgery Patients whose blood sugar is kept under good control in the days right after surgery

97%

Page 14 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project



417

Page 15 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project

Percent of Surgery Patients needing hair removed from the surgical area before surgery who had hair removed using a safer method

Page 16 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project

Number of Patients-7	Percent of Surgery Patients whose urinary catheters were removed on the first or second day after surgery	Number of Patients 11	Surgery patients who were taking heart drugs called beta blockers before coming to the hospital, who were kept on them
	97%	2608	95%


Page 17 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project

Number of Patients 8	Outpatients having surgery who got an antibiotic at the right time - within one hour before surgery (higher numbers are better)	Number of Patients 9	Outpatients having surgery who got the right kind of antibiotic (higher numbers are better)	Number of Patients 10	Footnote 10
1059	97%	893	97%	899	

Page 18 of 19 12/17/2012

Based on Hospital Process of Care Measures – Surgical Care Improvement Project



Page 19 of 19 12/17/2012